

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|----------|---|---|------------------|---------|------------------|
| S1 | 2 | ("5018060").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/25 18:17 |
| S2 | 0 | (storage\$1 or resource\$1) with (request\$1 or defin\$3 or inquir\$3) with (proptert\$3 or character\$5 or attribute\$1) and logical near operator\$1 and (fast same slow same mount\$4) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:22 |
| S3 | 35 | (storage\$1 or resource\$1) with (request\$1 or defin\$3 or inquir\$3) with (proptert\$3 or character\$5 or attribute\$1) and logical near operator\$1 and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:23 |
| S4 | 21047059 | (storage\$1 or resource\$1) with (request\$1 or defin\$3 or inquir\$3) with (proptert\$3 or character\$5 or attribute\$1) and logical near operator\$1 and (backup or back-up or restor\$3 or archiv\$3) and DBA (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:23 |
| S5 | 0 | (storage\$1 or resource\$1) with (request\$1 or defin\$3 or inquir\$3) with (proptert\$3 or character\$5 or attribute\$1) and logical near operator\$1 and (backup or back-up or restor\$3 or archiv\$3) and DBA and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:24 |
| S6 | 0 | (storage\$1 or resource\$1) same (request\$1 or defin\$3 or inquir\$3) same (proptert\$3 or character\$5 or attribute\$1) and logical near operator\$1 and (backup or back-up or restor\$3 or archiv\$3) and DBA and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:24 |
| S7 | 1 | (storage\$1 or resource\$1) same (request\$1 or defin\$3 or inquir\$3) and (proptert\$3 or character\$5 or attribute\$1) same logical near operator\$1 and (backup or back-up or restor\$3 or archiv\$3) and DBA and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:26 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S8 | 17 | (storage\$1 or resource\$1) with (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) same logical near (operator\$1 or expression\$1) and (storage\$1 with allocat\$5) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:29 |
| S9 | 0 | (storage\$1 or resource\$1) with (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) same (logical near (operator\$1 or expression\$1)) same (dba or database adj administrator) and (storage\$1 with allocat\$5) and (storage\$1 with administrator\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:30 |
| S10 | 0 | (storage\$1 or resource\$1) with (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) same (logical near (operator\$1 or expression\$1)) same (dba or database adj administrator) and (storage\$1 with allocat\$5) and (storage\$1 near administrator\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:30 |
| S11 | 0 | (storage\$1 or resource\$1) with (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) same (logical near (operator\$1 or expression\$1)) same (dba or database adj administrator) and (storage\$1 with allocat\$5) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:31 |
| S12 | 0 | (storage\$1 or resource\$1) with (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) same (logical near (operator\$1 or expression\$1)) same (dba or database adj administrator) and (storage\$1 same allocat\$5) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:31 |
| S13 | 0 | (storage\$1 or resource\$1) with (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) same (logical near (operator\$1 or expression\$1)) same (dba or database near administrator\$1) and (storage\$1 same allocat\$5) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:31 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S14 | 0 | (storage\$1 or resource\$1) with (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) and (logical near (operator\$1 or expression\$1)) same (dba or database near administrator\$1) and (storage\$1 same allocat\$5) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:31 |
| S15 | 0 | (storage\$1 or resource\$1) same (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) and (logical near (operator\$1 or expression\$1)) same (dba or database near administrator\$1) and (storage\$1 same allocat\$5) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:32 |
| S16 | 11 | (storage\$1 or resource\$1) same (request\$1 or quer\$3) and (propert\$3 or character\$5 or attribute\$1) and (logical near (operator\$1 or expression\$1)) and (dba or database near administrator\$1) and (storage\$1 same allocat\$5) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:33 |
| S17 | 61 | (storage\$1 or resource\$1) same (request\$1 or quer\$3 or allocat\$3) and (logical near (operator\$1 or expression\$1)) and (dba or database near administrator\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:35 |
| S18 | 634 | (storage\$1 or resource\$1) same (request\$1 or quer\$3 or allocat\$3) and (dba or database near administrator\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:35 |
| S19 | 261 | (storage\$1 or resource\$1) same (request\$1 or quer\$3 or allocat\$3) and (dba or database near administrator\$1) and dba and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:35 |
| S20 | 21 | (storage\$1 or resource\$1) same (request\$1 or quer\$3 or allocat\$3) and (dba or database near administrator\$1) and (dba with quer\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:37 |
| S21 | 1 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)). ab. and (dba with quer\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:39 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| S22 | 14 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and (dba with quer\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:40 |
| S23 | 10212 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and (backup or archiv\$3 or restor\$3) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:41 |
| S24 | 320324 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and (dba) with (logical or select or sql) (backup or archiv\$3 or restor\$3) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:41 |
| S25 | 0 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and (dba41) with (logical or select or sql) and (backup or archiv\$3 or restor\$3) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:42 |
| S26 | 5 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and (dba\$1) with (logical or select\$1 or sql\$1) and (backup or archiv\$3 or restor\$3) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:43 |
| S27 | 23 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and (dba\$1) with (logical or select\$1 or sql\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:49 |
| S28 | 5539 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and ((storage\$1 or resource\$1) near (management\$1 or allocat\$3)) and (logical or select\$1 or sql\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:50 |
| S29 | 1119 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and ((storage\$1 or resource\$1) near (management\$1 or allocat\$3)) same (logical or select\$1 or sql\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:50 |
| S30 | 206 | ((storage\$1 or resource\$1) with (request\$1 or quer\$3 or search\$3)) and ((storage\$1 or resource\$1) near (management\$1 or allocat\$3)) and administrator\$1 with (logical or select\$1 or sql\$1) and (@ad<"20010719") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:50 |
| | | | | | | |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S31 | 124 | S30 and (property\$3 or attribute\$3 or characteristic\$1) with (storage\$1 or resource\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/25 18:51 |
|-----|-----|---|---|----|----|------------------|